







PERFORATED SHEETS

SHAPE OF THE HOLE		
1	R	
2	C	
3	CD	
4	CS	
5	LR	
6	LC	

ARRANGEMENT OF THE HOLES		empty \ full %	n. hole x dm ²
60° (T)		$90,6 \times \left(\frac{d}{t}\right)^2$	$\frac{11.500}{t^2}$
Alternating 45° (M)		$78,5 \times \left(\frac{d}{m}\right)^2$	$\frac{10.000}{m^2}$
In line 90° (U)		$78,5 \times \left(\frac{d}{u}\right)^2$	$\frac{10.000}{u^2}$
In line 90° (U)		$98 \times \left(\frac{c}{u}\right)^2$	$\frac{10.000}{u^2}$



AVAILABLE RANGE PERFORATED SHEETS

shape		T-U-Z		%	Thickness										
					0,5	0,8	1	1,5	2	3	4	5	6	8	10
R Ø	10	T	15	40				
		T	16	35									.		
		T	17	31										.	
		T	20	23											.
	12	T	16	50							
		T	18	40							.		.		
		T	20	32										.	.
	15	T	22	42							
		T	23	39							.	.			
	20	T	28	46			
	25	T	35	46					.						
	30	T	40	51						.					
C Ø	5	T	7	51		.	.	.							
	8	T	10	64			.	.							
		T	12	44			.	.	.						
	10	T	12	70			.	.							
		T	15	45			.	.	.						
LR Ø	3x20	T	16x25	30					.						
	4x20	T	16x25	39			.		.						
	5x20	T	20x25	39				.							

PERFORATED ALUMINUM SHEETS

shape		T-U		%	Thickness					
					0,5	0,8	1	1,5	2	3
R Ø	2	T	3,5	30			.			
	3	T	5	32			.	.		
	4	T	6	40			.			
	5	T	8	35			.	.		
C Ø	5	U	7	51	.					

PERFORATED SHEETS AISI 304 INOX

shape		T-U		%	Thickness					
					0,5	0,8	1	1,5	2	3
R Ø	0,5	T	1,5	10	•					
	0,6	T	1,5	15	•					
	0,8	T	1,5	26	•					
	1	T	2	23	•					
		T	2,25	18			•			
	1,5	T	2,5	33	•					
		T	3	23		•	•			
		T	3,5	17				•		
	2	T	3,2	35	•					
		T	3,5	30		•	•	•		
		T	4,5	18					•	
	2,5	T	4	35			•	•		
	3	T	5	32	•	•	□			
		T	5,5	27				•	•	
		T	6	23						•
	4	T	6	40	•	•	•			
		T	7	33				•	•	•
	5	T	7,5	40	•					
		T	8	35		•	□	•	•	•
	6	T	9	40		•	•	•	•	
T		10	33						•	
8	T	12	40			•	•	•	•	
10	T	15	40			•	•	•	•	
C	5	U	7	51		•				
	8	U	10	64		•	•			
		U	12	44			•	•		
	10	U	15	45			•	•		